louis poulsen

PH 3½-2½ TABLE



DESIGN:

Poul Henningsen

CONCEPT:

The louvre is 100% glare-free, with a design based on the principle of a reflective threeshade system, which directs most of the light downwards. The white painted lower surface of the top shade gently directs the light downwards. The two bottom mouth-blown opal glass shades ensure a large glare-free light surface, making optimum use of the light source to provide comfortable, functional lighting. The opal glass shades are shiny on the outside and matt on the inside.

FINISH:

Red, green, yellow and white, powder coated.

WEIGHT:

Min: 2.54 kg. Max: 2.67 kg.

CLASS:

Ingress protection IP20. Electric shock protection II w/o ground.

MATERIAL:

Top shade: Spun aluminium. Other shades: Mouth-blown white opal glass. Shade holder: Silk matt brown brass. Stand: Silk matt brown brass.

MOUNTING:

Cord type: Plastic with plug. Cord length: 2.5 m. Switch: On the cord.

PRODUCT OVERVIEW

LIGHT SOURCE

1X60W E14

FINISH

RED	
WHT	
YELLOW	
GREEN	

CABLE TYPE

BLK PL

IP

20

SPAREPART

PRODUCT NAME:	ORDERING NUMBER:
PH 3 ¹ / ₂ TOP SHADE, RED	5741095434
PH 3 ¹ / ₂ TOP SHADE, GREEN	5741095463
PH 3½ TOP SHADE, WHT	5741095492
PH 3 ¹ / ₂ TOP SHADE, YELLOW	5741095528
PH 3½-2½ GLASS, MIDDLE SHADE	5744162241
PH 3 ¹ / ₂ -2 ¹ / ₂ GLASS, LOWER SHADE	5744162254