La Linea



Artemide

Authors BIG - Bjarke Ingels Group

BIG is a Copenhagen, New York, London and Barcelona based group of architects, designers, urbanists, landscape professionals, interior and product designers, researchers and inventors. The office is currently involved in a large number of projects throughout Europe, North America, Asia and the Middle East.

BIG's architecture emerges out of a careful analysis of how contemporary life constantly evolves and changes. Not least due to the influence from multicultural exchange, global economical flows and communication technologies, that all together require new ways of architectural and urban organization. They believe that in order to deal with today's challenges, architecture can profitably move into a field that has been largely unexplored. A pragmatic utopian architecture that steers clear of the petrifying pragmatism of boring boxes and the naïve utopian ideas of digital formalism. Like a form of programmatic alchemy, they create architecture by mixing conventional ingredients such as living, leisure, working, parking and shopping. By hitting the fertile overlap between pragmatic and utopia, they once again find the freedom to change the surface of our planet, to better fit contemporary life forms.



La Linea

BIG 2019







INNOVATIONSPREIS ARCHITEKTUR + TECHNIK

2020 AUSZEICHNUNG



For further information on La Linea \hookrightarrow visit artemide.com

PATENT OF INVENTION

"The flexibility enables us to move and interact with the environment in new and unpredicatable ways. The possiblities are endless!" BIG




in (IP20)

La Linea is inclusive

La Linea turns light into an ideal fixture for outdoor spaces, architectures, parks, or public and urban areas to requalify common spaces, create social and engaging landscapes, and promote relations between people and their surroundings.

La Linea

Ø40 x 2500/5000 mm Total Power:15W/m (from -20°C to +40°C) IP20/65





La Linea is flexible


La Linea is a flexible tube of light, capable to freely twist and turn in space according to undefined geometries.




Light at 360°









Patented optic mixing chamber

La Linea is innovative

Its patented section brings together several types of intelligence connected with optical, as well as material, mechanical, manufacturing principles and sustainable values, which take care of each individual aspect of the product's life stages.

Endless applications

















→ LA LINEA

White	Wall/ceiling supports included.	CRI95	IP 65 ⊕
	Driver supplied separately.		

LA LINEA 2500 mm

La Linea				Dimmable	
Length	W	Flux	CCT	Code	()
2500 mm	13,2W	960 lm	3000K	T4601010	
					Ø 40 mm

DRIVER

Power	Vac	L _{mm}	W_{mm}	H _{mm}	IP	Dimming	Code	
90W	210-240	250	63	38	65	0-10/On-Off	DV1075	
90W	210-240	250	63	38	65	DALI/On-Off	DV1076	
90W	110-240	250	100	52	20	PUSH & APP	DV1075APP	

POWER KIT

Power	Vac	L _{mm}	W_{mm}	H _{mm}	IP	Dimming	Code
96W	110-240	400	110	52	20	Undimerable	A4681210
96W	110-240	400	110	52	20	DALI/0-10/PUSH	A4681010
96W	110-240	400	110	52	20	PUSH & APP	A4681010APP
96W	110-240	400	104	61	65	PUSH & APP	T4681010APP

→ LA LINEA

White	Wall/ceiling supports included.	CRI95	IP 65 ⊕

LA LINEA 5000 mm

La Linea				Dimr
Length	W	Flux	CCT	Code
5000 mm	13,2W	960 lm	3000K	T460

Dimmable	
Code	
T4600010	





DRIVER

Power	Vac	L _{mm}	W_{mm}	H _{mm}	IP	Dimming
120W	220-240	300	40	30	20	On-Off
90W	210-240	250	63	38	65	0-10/On-Off
90W	210-240	250	63	38	65	DALI/On-Off
90W	110-240	250	100	52	20	PUSH & APP

Code	
DV1033	
DV1075	
DV1076	
DV1075APP	

POWER KIT

Power	Vac	L _{mm}	W_{mm}	H _{mm}	IP	Dimming
96W	110-240	400	110	52	20	Undimerable
96W	110-240	400	110	52	20	DALI/0-10/PUSH
96W	110-240	400	110	52	20	PUSH & APP
96W	110-240	400	104	61	65	PUSH & APP

ode
4681210
4681010
4681010APP
4681010APP

→ LA LINEA RECESSED



TRIM

La Linea + Kit Recessed	Length	W	Flux	ССТ	Code	(©)	Ø 105 mm
La Linea (2 pcs kit recessed)	2500 mm	13,2W	960 lm	3000K	T4601210		
La Linea (2 pcs kit recessed)	5000 mm	13,2W	960 lm	3000K	T4601210		H min _ 67,5 mm

TRIMLESS

La Linea + Kit Recessed						\bigcirc	Ø 86 mm
	Length	W	Flux	CCT	Code		וווווו סס ש
La Linea (2 pcs kit recessed)	2500 mm	13,2W	960 lm	3000K	T4601110	$\overline{}$	
La Linea (2 pcs kit recessed)	5000 mm	13,2W	960 lm	3000K	T4601110		H min 67,5 mm

DRIVER

Power	Vac	L _{mm}	W_{mm}	H _{mm}	IP	Dimming	Code
120W	220-240	250	63	38	20	On-Off	DV1033
90W	210-240	250	63	38	65	On-Off	DV1075
90W	210-240	250	63	38	65	DALI/On-Off	DV1076
90W	110-240	250	100	52	20	PUSH & APP	DV1075APP

POWER KIT

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Dimming	Code
96W	110-240	400	110	52	20	Undimerable	A4681210
96W	110-240	400	110	52	20	DALI/0-10/PUSH	A4681010
96W	110-240	400	110	52	20	PUSH & APP	A4681010APP
96W	110-240	400	104	61	65	PUSH & APP	T4681010APP



→ LA LINEA SMD

White	Wall/ceiling supports included.	IP 65 ∰
	Driver On-Off supplied included.	

LA LINEA 2500 mm

La Linea + Kit SMD	Length	W	Flux	CCT	Code	g	
	2500 mm	13,2W	960 lm	3000K	T4601310		
							510
						040	
							860

LA LINEA 5000 mm

LA LINEA 3000 IIIII								
La Linea + Kit SMD						THE PARTY NAMED IN		
	Length	W	Flux	CCT	Code	100	8	
	5000 mm	13,2W	960 lm	3000K	T4600510			
							540	





BIG BJARKE INGELS GROUP




La Linea Suspended Back Bone


La Linea is a basic principle that generates an open system and a comprehensive relation with space and humans.

It easily fits into indoor and outdoor spaces by leveraging on an unprecedented combination of factors, including quality of light, IP protection grade, flexibility, modularity. BIG's idea is once again transposed, thanks to the knowhow of Artemide, into a product that looks basic but it is rich of technological innovation.

Back Bone is a Line with an aluminum back bone is possible to suspend La Linea modules creating linear or curved geometries in custom composition.






















La Linea 25

La Linea 25 increasingly becomes a communicative as well as a functional tool, adding values and meanings to its light through the expressiveness of its graphic sign.

It has excellent light performance in terms of quantity and quality, allowing not only the characterisation of a space but also its correct lighting.

The slim section with lengths of 5, 10 and 20 meters can be overlapped to create weaving and leaving the freedom to follow complex geometries like figures created by a single line. It combines innovation with emotion, liaising with man-built and natural spaces in which it is applied. It is sustainable, reconfigurable and long-lasting.

La Linea 25

Ø25 x 5000/10000/ 20000 mm Total Power: 12,5W/m (from -20°C to +40°C)

IP65

→ LA LINEA 25

White	Wall/ceiling supports included.	CRI90	IP 65 ⊕

LA LINEA 25 5 m

				Dimmable	
Length	W	Flux	CCT	Code	
5000 mm	62,5W	4750 lm	3000K	T4620010	
	,				Ø 25 mm

LA LINEA 25 10 m

Length	W	Flux	ССТ	Dimmable Code	
				_	_
10000 mm	125W	9500 lm	3000K	T4621010	
					Ø 25 mm

LA LINEA 25 20 m

Length	W	Flux	ССТ	Dimmable Code	
20000 mm	250W	19000 lm	3000K	T4622010	—— Ø 25 mm

→ LA LINEA 25

White	CRI90	IP65 IP20
		₩

DRIVER

Power	Vac	L _{mm}	W_{mm}	H _{mm}	IP	Dimming	Code
200W	100-305	250	68	40	65	0-10/On-Off	DV1105
200W	100-305	255	68	40	65	DALI	DV1106
200W	100-240	240	68	40	65	PUSH & APP	DV1105APP
320W	90-305	250	68	40	65	On-Off	DV1107
320W	100-240	250	68	40	65	DALI	DV1108
320W	90-305	250	68	40	20	PUSH & APP	DV1107APP

POWER KIT SMD

Power	Vac	L _{mm}	W _{mm}	H _{mm}	IP	Dimming	Code
200W	90-305	400	110	52	20	0-10/On-Off	T4691010
200W	90-305	400	110	52	20	DALI	T4691110
200W	90-305	400	110	52	20	PUSH & APP	T4691010AP



La Linea 25 Earth

→ LA LINEA 25 EARTH

White	Wall supports included.	CRI90	I P 65	
			(ii)	

Length	W	Flux	CCT	
2400 mm	12,5W	950 lm	3000K	

Dimmable	
Code	200/20
T4623010	
	100






DRIVER

Power	Vac	L _{mm}	W_{mm}	H _{mm}	IP	Dimming	Code
320W	90-305	250	68	40	65	On-Off	DV1107
320W	100-240	250	68	40	65	DALI	DV1108
320W	90-305	250	68	40	20	PUSH & APP	DV1107/

Code	
OV1107	
OV1108	
OV1107APP	



La Linea is compatible with **Artemide App**

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.









Asserting electronic intelligence

Download Artemide App and find more information on artemide.com





Headquarters

Artemide S.p.A.

Via Bergamo, 18 20006 Pregnana Milanese (MI), Italy Tel. +39 02 93518.1 Tel. +39 02 93526.1 Numero verde 800 834 093 (from Italy only) info@artemide.com artemide.com

















ISO 45001:2018

Artemide S.p.A. si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A. reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A. se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A. behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildetem Produkte zu ändern.

Artemide S.p.A. se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálgo.

2023