

# CLOUD

Frank Gehry, 2005





## Pendant light CLOUD-30

Type	CLOUD-30
Order No	51002403-30

Lamp type/assembly	Pendant light
Version	For halogen lamps (E27)
Size	Ø ~480 mm
Light source	1x Halogen ES (HSGSA) 70W; E27
Operating mode	Dimmable
Operation	On site
Lamp shade	Polyester fleece
Elements	5
Suspension (number of suspension points)	max. 2000 mm (1)
Ceiling rose	White, Ø 108 mm
Power cable	Transparent, 2x0.75mm <sup>2</sup> , L 2000 mm
Light distribution	Diffuse
Power consumption	max. 70 W

Luminaire efficacy	66.5%
Rated voltage	220-240V 50/60Hz
Safety class	II
Protection type	IP 20
Packaging units	1 (730 x 730 x 200 mm)
Weight	1.5 kg
Guarantee	36 months
Belux Express	Shipping within 5 days of ordering (available for order quantities up to 10 units and subject to availability)



Subject to technical modifications and modifications to content. © BELUX AG 12/2015



More information on  
[www.belux.com/cloud](http://www.belux.com/cloud)

### BELUX AG

Klünenfeldstrasse 22, Muttenz, CH-4127 Birsfelden  
 Tel. +41 61 316 74 01, Fax +41 61 316 75 99  
[www.belux.com](http://www.belux.com), [belux@belux.com](mailto:belux@belux.com)

# CLOUD



Frank Gehry, 2005



## Pendant light CLOUD-32

Type	CLOUD-32
Order No	51002403-32
Lamp type/assembly	Pendant light
Size	Ø ~520 mm
Light source	1x Halogen ES (HSGSA) 70W; E27
Operating mode	Dimmable
Operation	On site
Lamp shade	Polyester fleece
Suspension (number of suspension points)	max. 2000 mm (1)
Ceiling rose	White, Ø 108 mm
Power cable	Transparent, 2x0.75mm <sup>2</sup> , L 2000 mm
Light distribution	Diffuse
Power consumption	max. 70 W

Luminaire efficacy	66.5%
Rated voltage	220-240V 50/60Hz
Stand-by consumption	0W
Safety class	II
Protection type	IP 20
Packaging units	1 (730 x 730 x 200 mm)
Weight	1.8 kg
Guarantee	36 months
Belux Express	Shipping within 5 days of ordering (available for order quantities up to 10 units and subject to availability)



Subject to technical modifications and modifications to content. © BELUX AG 11/2016



More information on  
[www.belux.com/cloud](http://www.belux.com/cloud)

**Belux AG**  
 Waldeckstrasse 100, CH-4127 Birsfelden  
 Tel. +41 61 316 74 01, Fax +41 61 316 75 99  
[www.belux.com](http://www.belux.com), [belux@belux.com](mailto:belux@belux.com)

# CLOUD


Frank Gehry, 2005



## Pendant light CLOUD-34

Type	CLOUD-34
Order No	51002403-34
Lamp type/assembly	Pendant light
Size	Ø ~600 mm
Light source	1x Halogen ES (HSGSA) 70W; E27
Operating mode	Dimmable
Operation	On site
Lamp shade	Polyester fleece
Suspension (number of suspension points)	max. 2000 mm (1)
Ceiling rose	White, Ø 108 mm
Power cable	Transparent, 2x0.75mm <sup>2</sup> , L 2000 mm
Light distribution	Diffuse
Power consumption	max. 70 W

Luminaire efficacy	66.5%
Rated voltage	220-240V 50/60Hz
Stand-by consumption	0W
Safety class	II
Protection type	IP 20
Packaging units	1 (730 x 730 x 200 mm)
Weight	2.2 kg
Guarantee	36 months
Belux Express	Shipping within 5 days of ordering (available for order quantities up to 10 units and subject to availability)



Subject to technical modifications and modifications to content. © BELUX AG 11/2016



More information on  
[www.belux.com/cloud](http://www.belux.com/cloud)

**Belux AG**  
 Waldeckstrasse 100, CH-4127 Birsfelden  
 Tel. +41 61 316 74 01, Fax +41 61 316 75 99  
[www.belux.com](http://www.belux.com), [belux@belux.com](mailto:belux@belux.com)

# CLOUD



Frank Gehry, 2005



## Pendant light CLOUD-36

Type	CLOUD-36
Order No	51002403-36
Lamp type/assembly	Pendant light
Size	Ø ~650 mm
Light source	1x Halogen ES (HSGSA) 70W; E27
Operating mode	Dimmable
Operation	On site
Lamp shade	Polyester fleece
Suspension (number of suspension points)	max. 2000 mm (1)
Ceiling rose	White, Ø 108 mm
Power cable	Transparent, 2x0.75mm <sup>2</sup> , L 2000 mm
Light distribution	Diffuse
Power consumption	max. 70 W

Luminaire efficacy	66.5%
Rated voltage	220-240V 50/60Hz
Stand-by consumption	0W
Safety class	II
Protection type	IP 20
Packaging units	1 (730 x 730 x 200 mm)
Weight	2.3 kg
Guarantee	36 months
Belux Express	Shipping within 5 days of ordering (available for order quantities up to 10 units and subject to availability)



Subject to technical modifications and modifications to content. © BELUX AG 11/2016



More information on  
[www.belux.com/cloud](http://www.belux.com/cloud)

**Belux AG**  
 Waldeckstrasse 100, CH-4127 Birsfelden  
 Tel. +41 61 316 74 01, Fax +41 61 316 75 99  
[www.belux.com](http://www.belux.com), [belux@belux.com](mailto:belux@belux.com)