ngel6rechts

SKINDERGADE 38 1159 COPENHAGEN DENMARK

CARE INSTRUCTIONS CHAIRS

TEXTILES, NETWEAWE & WEBBING

Regular cleaning and maintenance will give your furniture a longer lifespan. Vacuum the fabric with medium strength, preferably once a week.

STAIN REMOVAL

Wet stains can be removed by gently dabbing the stain with a lint-free cloth or sponge. For further guidance: see textile manufacturer's instructions.

- Never firmly rub the material. This can damage the fabric structure and colour.
- Do not use a steam cleaner.
- Upholstered furniture should not be in direct sunlight or near heat generating sources such as stoves and radiators.

LEATHER

Regular vacuuming with a soft brush is the best routine maintenance procedure for all leather types.

STAIN REMOVAL

Use boiled and luke warm water with natural soap flakes. Whisk 2-3 tablespoons of soap flakes into 1 liter of water and use only the foam. Apply foam to the entire surface with a soft cloth. Let the furniture dry and afterwards dry thoroughly with a soft cotton cloth.

Only following the above-mentioned soap foam method for stain removal is covered by the warranty.

- Do not use detergents and sharp objects.
- · Suede should only be vacuumed and never applied with water or soap.

POLISHED ALUMINIUM

Wipe with a dry or damp cloth wrung out in mild soapy water. Afterwards, dry with a dry cloth.

- · Abrasive products for polishing are not covered by the warranty.
- Disorderly mounting of linking devices and writing tablet along with rough stacking may scratch frame and armrests.

CHROME

Wipe with a dry or damp cloth wrung out in mild soapy water. Afterwards, dry with a dry cloth. For thorough cleaning, the plating can be wiped with a cloth moistened with spirits.

- Abrasive products for polishing are not covered by the warranty.
- · Do not use solvents on lacquered frames.

MELAMINE, VENEER, PLASTIC & PUR

Wipe clean with a dry or damp cloth wrung out in mild soapy water. Afterwards, dry with a dry cloth.

- Detergents and sponges produce scratches and are not covered by the warranty.
- The paper under the melamine is a natural material that is affected by the sun's UV rays. If placed in direct sunlight for long periods of time, the paper will change colour hue.



GAS CYLINDERS

Gas cylinders must be replaced by trained personnel.

ngel6rechts

SKINDERGADE 38 1159 COPENHAGEN DENMARK

CARE INSTRUCTIONS **TABLES**

LAMINATE & VENEER

Wipe clean with a dry or damp cloth wrung out in mild soapy water. Afterwards, dry with a dry cloth. Laminate cleaner can be used for light laminates. Never place tea lights, fondue and other flammable objects directly on the tabletop.

- · Never place wet objects such as glasses and vases directly on veneer tabletops.
- To avoid shadow marks on the new veneer tabletops: for the 1st month, do not place objects on the tabletop for long periods of time.

LINOLEUM

First cleaning should be done when the furniture is delivered: Clean the surface with a damp cloth and a cleaning and care agent suitable for linoleum (i.e. Monel). Re-apply according to the instructions and by frequency of tabletop use.

The tabletop should be wiped daily with a clean cloth dampened with water and a mild detergent. Use linoleum-care products on a regular basis to maintain the surface.

- · We recommend using coasters for hot and humid objects.
- Linoleum is an organic material that does not tolerate large amounts of water, heat or harsh chemicals (including alkaline cleaners) for an extended period, as these degrade the linoleum surface.

CHROME

Wipe with a dry or damp cloth wrung out in mild soapy water. Afterwards, dry with a dry cloth. For thorough cleaning, the plating can be wiped with a cloth moistened with spirits.

· Abrasive products for polishing are not covered by the warranty.

POLISHED ALUMINIUM

Wipe with a dry or damp cloth wrung out in mild soapy water. Afterwards, dry with a dry cloth.

· Abrasive products for polishing are not covered by the warranty.

OPTICAL GLASS

The tabletop should be wiped with a dry cloth. Clean with glass cleaner or household spirits as needed.

• Never use abrasives or sharp tools.



Engelbrechts

SKINDERGADE 38 1159 COPENHAGEN DENMARK +45 3391 9896 INFO@ENGELBRECHTS.COM ENGELBRECHTS.COM

CARE INSTRUCTIONS **POISE SHELVING SYSTEM**

ABS PLASTIC

Wipe clean with a dry or damp cloth wrung out in mild soapy water. Afterwards, dry with a dry cloth.

• Detergents and sponges produce scratches and are not covered by the warranty.

ZINC

Wipe clean with a dry or damp cloth wrung out in mild soapy water. Afterwards, dry with a dry cloth.

MDF (SOCKET)

Wipe clean with a dry cloth.

