Project type: /

Patera Oval

Patera Oval - 5741105939

The pendant is a glowing ellipsoid made up of diamondshaped cells. Each cell has been carefully designed to capture light and to conceal the light source from viewing angles above 40 degrees. Below 40 degrees the lamp allows direct, downward light. The round opening underneath provides direct light with a soft transition towards the reflected light. The pendant can be used with or without a diffuser plate, depending on whether the view of the light source creates an unwanted glare or not.







louispoulsen.com

Product info

Information

Diffuser plate for bottom opening included.

Mounting

Cable: White textile, 2 x 0.75mm². Canopy: Yes. LED: Canopy contains driver. Cable length: 4 m.

Finish

White, matt.

Materials

Shade: Cut matt PVC foil. Frame: White, opal, matt coated, Injection moulded polycarbonate. Suspension Esocket: White, opal, matt coated, Injection moulded polycarbonate. Suspension LED: Matt white, Die cast aluminum Diffuser plate: Injection moulded polycarbonate.

Class

Ingress protection IP20. Electric shock protection I w. Ground (LED). Electric shock protection II. w/o ground (Esocket).

Light source E27

Information

Diffuser plate for bottom opening included.



Data specifications

Colour White	matt	Length	-
Width	-	Height	-
Built-in Height	-	IP class	-
Class	-	Net Weight	1.2
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	E27
Kelvin	-	CRI	-
SDCM	-	Lumen	-
Watt	-	Efficacy	-
Light control	-	Min. Dim Level (%)	-
UGR Transversal / Axial	-	L80B50 (hours)	-
Driver life	-		